



Bearing No. 63317ZZ

D	180,000 mm
d	85,000 mm
B	73,000 mm
C	73,000 mm
Noun	Bearing
Bore	3.346 Inch 85 Millimeter
UNSPSC	31171504
series:	633
Category	Single Row Ball Bearing
Snap Ring	No
Enclosure	2 Metal Shields
Size (mm)	85x180x73
Inventory	0.0
bore type:	Round
Width (mm)	73,000
Weight / LBS	16.9
closure type:	Double Shielded
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
overall width:	73 mm
bore diameter:	85 mm
fillet radius:	3 mm
Keyword String	Ball
cage material:	Steel
Bearing number	63317ZZ
Other Features	Deep Groove Cartridge Type Shell Alvania Prelubricated
finish/coating:	Uncoated

Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Long Description	85MM Bore; 180MM Outside Diameter; 73MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Ste
Manufacturer URL	http://www.ntnamerica.com
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	7.087 Inch 180 Millimeter
Outer Race Width	2.874 Inch 73 Millimeter
outer ring width:	73 mm
inner ring width:	73 mm
Manufacturer Name	NTN
Weight / Kilogram	0
bearing material:	High Carbon Chrome Steel
outside diameter:	180 mm
precision rating:	ISO Class 0
Internal Clearance	C0-Medium
Bore Diameter (mm)	85,000
Outer Diameter (mm)	180,000
internal clearance:	CN
snap ring included:	Without Snap Ring
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	3800 rpm
static load capacity:	97000 N

Harmonized Tariff Code	8482.10.50.68
dynamic load capacity:	133000 N
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No