



Bearing No. 6336

D	380 mm
d	180 mm
B	75 mm
C	75 mm
f0	13.9
Bore	7.087 Inch 180 Millimeter
Mass	35.6 kg
Noun	Bearing
da min	196 mm
Weight	35,6 Kg
Da max	364 mm
rs min	4 mm
UNSPSC	31171504
ra max	3 mm
db min	196 mm
r min.	4 mm
Da max.	364 mm
ra max.	3 mm
Category	Single Row Ball Bearing
Enclosure	Open
Inventory	0.0
Size (mm)	180x380x75
Snap Ring	No
Width (mm)	75
Nlim (oil)	2,000 rpm
Weight / LBS	93.5
Inch - Metric	Metric
Cage Material	Steel
Nlim (grease)	1,700 rpm

Product Group	B00308
Other Features	Deep Groove
Keyword String	Ball
Bearing number	6336
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Static load, C0	405 kN
Dynamic load, C	355 kN
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	14.961 Inch 380 Millimeter
Outer Race Width	2.953 Inch 75 Millimeter
Long Description	180MM Bore; 380MM Outside Diameter; 75MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Manufacturer URL	http://www.ntnamerica.com
Weight / Kilogram	37
Manufacturer Name	NTN
Bore Diameter (mm)	180
Internal Clearance	C0-Medium
Outer Diameter (mm)	380
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
Radial clearance class	CN
Fatigue limit load, Cu	18.4 kN
(Oil) Lubrication Speed	2 000 r/min
Internal Special	No

Features	
(Grease) Lubrication Speed	1 700 r/min
Basic static load rating (C0)	405 kN
Basic dynamic load rating (C)	355 kN
Maximum Capacity / Filling Slot	No
Min operating temperature, Tmin	-20 °C
Max operating temperature, Tmax	120 °C