



Bearing No. 6819NR

f	1,12 mm
r	1
d	95 mm
D	120 mm
B	13 mm
C	13 mm
a	2,1 mm
b	1,3 mm
D2	125,7 mm
B_	13
Cy	2.9
ra	1
C0	22
fo	17.2
D_	120
D1	117,6 mm
rn	0,5 mm
Z_	25
Dx	127
ro	0.4
DE_	114.644
DA_	7.144
SRI	3.7
D_a	115
SRE	3.7
DI_	100.356
SRIN	-0.02
yobi	6819NR
SBRG	18
bomp	0

SREX	0.02
KBRG	6101
SREN	-0.02
SDM_	107.5
SRIX	0.02
mass	0.297
C_conv	19300
r min.	1 mm
da max	101,5 mm
ALPHA_	0
Weight	0,297 Kg
da min	100
LangID	1
GRS rpm	5000
Da max.	115 mm
hidYobi	6819NR
Oil rpm	6000
da min.	100 mm
r0 max.	0,4 mm
ra max.	1 mm
hidTable	ecat_NSRDGB
Size (mm)	95x120x13
Prod_Type3	DGBB_SR_NR_OT
Width (mm)	13
Bearing number	6819NR
Bore Diameter (mm)	95
Outer Diameter (mm)	120
(Oil) Lubrication Speed	6 000 r/min
(Grease) Lubrication Speed	5 000 r/min
Basic dynamic load rating (C)	19,3 kN
Basic static load rating	22 kN

(C0)	
------	--