



Bearing No. 6817NR

f	1,12 mm
r	1
d	85 mm
D	110 mm
B	13 mm
C	13 mm
a	2,1 mm
b	1,3 mm
D2	115,7 mm
B_	13
Cy	2.9
ra	1
C0	20
fo	17.1
D_	110
D1	107,6 mm
rn	0,5 mm
Z_	23
Dx	117
ro	0.4
DE_	104.644
DA_	7.144
SRI	3.7
D_a	105
SRE	3.7
DI_	90.356
SRIN	-0.02
yobi	6817NR
SBRG	18
bomp	0

SREX	0.02
KBRG	6101
SREN	-0.02
SDM_	97.5
SRIX	0.02
mass	0.263
C_conv	18700
r min.	1 mm
da max	90,5 mm
ALPHA_	0
Weight	0,263 Kg
da min	90
LangID	1
GRS rpm	5600
Da max.	105 mm
hidYobi	6817NR
Oil rpm	6700
da min.	90 mm
r0 max.	0,4 mm
ra max.	1 mm
hidTable	ecat_NSRDGB
Size (mm)	85x110x13
Prod_Type3	DGBB_SR_NR_OT
Width (mm)	13
Bearing number	6817NR
Bore Diameter (mm)	85
Outer Diameter (mm)	110
(Oil) Lubrication Speed	6 700 r/min
(Grease) Lubrication Speed	5 600 r/min
Basic dynamic load rating (C)	18,7 kN
Basic static load rating	20 kN

(C0)	
------	--