



Bearing No. 6815NR

f	1,12 mm
r	0.6
d	75 mm
D	95 mm
B	10 mm
C	10 mm
a	1,7 mm
b	1,3 mm
D2	99,4 mm
B_	10
Cy	2.5
ra	0.6
C0	13.9
fo	17.3
D_	95
D1	92,9 mm
rn	0,5 mm
Z_	26
Dx	101
ro	0.4
DE_	90.556
DA_	5.556
SRI	2.88
D_a	91
SRE	2.88
DI_	79.444
SRIN	-0.015
yobi	6815NR
SBRG	18
bomp	0

SREX	0.015
KBRG	6101
SREN	-0.015
SDM_	85
SRIX	0.015
mass	0.149
C_conv	12500
r min.	0,6 mm
da max	79,5 mm
ALPHA_	0
Weight	0,149 Kg
da min	79
LangID	1
GRS rpm	6300
Da max.	91 mm
hidYobi	6815NR
Oil rpm	7500
da min.	79 mm
r0 max.	0,4 mm
ra max.	0,6 mm
hidTable	ecat_NSRDGB
Size (mm)	75x95x10
Prod_Type3	DGBB_SR_NR_OT
Width (mm)	10
Bearing number	6815NR
Bore Diameter (mm)	75
Outer Diameter (mm)	95
(Oil) Lubrication Speed	7 500 r/min
(Grease) Lubrication Speed	6 300 r/min
Basic dynamic load rating (C)	12,5 kN
Basic static load rating	13,9 kN

(C0)	
------	--