



Bearing No. 6815

D	95 mm
d	75 mm
B	10 mm
C	10 mm
f0	16.0
Cu	0.660
Cr	15.7
C0r	12.9
Bore	2.953 Inch 75 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,142 Kg
r(min)	0.6
r min.	0,6 mm
da min.	79 mm
ra(max)	0.6
Da max.	91 mm
Da(max)	91
da(min)	79
ra max.	0,6 mm
Category	Single Row Ball Bearing
Oil lub.	7600
Inventory	0.0
Enclosure	Open
Size (mm)	75x95x10
Snap Ring	No
Width (mm)	10
Grease lub.	6400
Bearing No.	6815

Weight / LBS	0.338
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6815
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outside Diameter	3.74 Inch 95 Millimeter
Long Description	75MM Bore; 95MM Outside Diameter; 10MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	0.394 Inch 10 Millimeter
(Refer.)Mass(kg)	0.142
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.153
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	75
Outer Diameter (mm)	95
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	7600 r/min
Manufacturer Item Number	6815
Internal Special Features	No
(Grease) Lubrication Speed	6400 r/min
Basic static load rating	12,9 kN

(C0)	
Basic dynamic load rating (C)	12,5 kN
Maximum Capacity / Filling Slot	No