



### Bearing No. 6813

D	85 mm
d	65 mm
B	10 mm
C	10 mm
f0	16.2
Cu	0.590
Cr	14.9
C0r	11.5
Bore	2.559 Inch   65 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,126 Kg
r(min)	0.6
r min.	0,6 mm
da min.	69 mm
ra(max)	0.6
Da max.	81 mm
Da(max)	81
da(min)	69
ra max.	0,6 mm
Category	Single Row Ball Bearing
Oil lub.	8600
Inventory	0.0
Enclosure	Open
Size (mm)	65x85x10
Snap Ring	No
Width (mm)	10
Grease lub.	7300
Bearing No.	6813

Weight / LBS	0.3
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6813
Precision Class	ABEC 1   ISO P0
Rolling Element	Ball Bearing
Outside Diameter	3.346 Inch   85 Millimeter
Long Description	65MM Bore; 85MM Outside Diameter; 10MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	0.394 Inch   10 Millimeter
(Refer.)Mass(kg)	0.126
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Weight / Kilogram	0.136
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	65
Outer Diameter (mm)	85
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	8600 r/min
Manufacturer Item Number	6813
Internal Special Features	No
(Grease) Lubrication Speed	7300 r/min

Basic static load rating (C0)	11,5 kN
Basic dynamic load rating (C)	11,9 kN
Maximum Capacity / Filling Slot	No