



Bearing No. 6811NR

f	0,85 mm
r	0.3
d	55 mm
D	72 mm
B	9 mm
C	9 mm
a	1,7 mm
b	0,95 mm
D2	74,8 mm
B_	9
Cy	2.3
ra	0.3
C0	8.5
fo	17
D_	72
D1	70,7 mm
rn	0,3 mm
Z_	22
Dx	76
ro	0.25
DE_	68.262
DA_	4.762
SRI	2.46
D_a	70
SRE	2.46
DI_	58.738
SRIN	-0.015
yobi	6811NR
SBRG	18
bomp	0

SREX	0.015
KBRG	6101
SREN	-0.015
SDM_	63.5
SRIX	0.015
mass	0.081
C_conv	8800
r min.	0,3 mm
da max	59 mm
ALPHA_	0
Weight	0,081 Kg
da min	57
LangID	1
GRS rpm	8500
Da max.	70 mm
hidYobi	6811NR
Oil rpm	10000
da min.	57 mm
r0 max.	0,25 mm
ra max.	0,3 mm
hidTable	ecat_NSRDGB
Size (mm)	55x72x9
Prod_Type3	DGBB_SR_NR_OT
Width (mm)	9
Bearing number	6811NR
Bore Diameter (mm)	55
Outer Diameter (mm)	72
(Oil) Lubrication Speed	10 000 r/min
(Grease) Lubrication Speed	8 500 r/min
Basic dynamic load rating (C)	8,8 kN
Basic static load rating	8,5 kN

(C0)	
------	--