



Bearing No. 6406

D	90 mm
d	30 mm
B	23 mm
C	23 mm
f0	12.3
Cu	2.05
Cr	54.2
C0r	23.9
Bore	1.181 Inch 30 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,735 Kg
r(min)	1.5
r min.	1,5 mm
da min.	38 mm
ra(max)	1.5
Da max.	82 mm
Da(max)	82
da(min)	38
ra max.	1,5 mm
Category	Single Row Ball Bearing
Oil lub.	9700
Inventory	0.0
Enclosure	Open
Size (mm)	30x90x23
Snap Ring	No
Width (mm)	23
Grease lub.	8100
Bearing No.	6406

Weight / LBS	1.752
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6406
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outside Diameter	3.543 Inch 90 Millimeter
Long Description	30MM Bore; 90MM Outside Diameter; 23MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	0.906 Inch 23 Millimeter
(Refer.)Mass(kg)	0.735
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.795
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	30
Outer Diameter (mm)	90
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	9700 r/min
Manufacturer Item Number	6406
Internal Special Features	No
(Grease) Lubrication Speed	8100 r/min

Basic static load rating (C0)	23,9 kN
Basic dynamic load rating (C)	43,4 kN
Maximum Capacity / Filling Slot	No