



Bearing No. 6809NR

f	0,85 mm
r	0.3
d	45 mm
D	58 mm
B	7 mm
C	7 mm
a	1,3 mm
b	0,95 mm
D2	60,8 mm
B_	7
Cy	1.8
ra	0.3
C0	6.15
fo	17.2
D_	58
D1	56,7 mm
rn	0,3 mm
Z_	23
Dx	61.5
ro	0.25
DE_	55.469
DA_	3.969
SRI	2.05
D_a	56
SRE	2.05
DI_	47.531
SRIN	-0.015
yobi	6809NR
SBRG	18
bomp	0

SREX	0.015
KBRG	6101
SREN	-0.015
SDM_	51.5
SRIX	0.015
mass	0.038
C_conv	6600
r min.	0,3 mm
da max	47,5 mm
ALPHA_	0
Weight	0,038 Kg
da min	47
LangID	1
GRS rpm	11000
Da max.	56 mm
hidYobi	6809NR
Oil rpm	13000
da min.	47 mm
r0 max.	0,25 mm
ra max.	0,3 mm
hidTable	ecat_NSRDGB
Size (mm)	45x58x7
Prod_Type3	DGBB_SR_NR_OT
Width (mm)	7
Bearing number	6809NR
Bore Diameter (mm)	45
Outer Diameter (mm)	58
(Oil) Lubrication Speed	13 000 r/min
(Grease) Lubrication Speed	11 000 r/min
Basic dynamic load rating (C)	6,6 kN
Basic static load rating	6,15 kN

(C0)	
------	--