



### Bearing No. 6411

D	140 mm
d	55 mm
B	33 mm
C	33 mm
f0	12.2
Cu	5.35
Cr	126
C0r	62.3
Bore	2.165 Inch   55 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	2,29 Kg
r(min)	2.1
r min.	2,1 mm
da min.	66 mm
ra(max)	2
Da max.	129 mm
Da(max)	129
da(min)	66
ra max.	2 mm
Category	Single Row Ball Bearing
Oil lub.	6000
Inventory	0.0
Enclosure	Open
Size (mm)	55x140x33
Snap Ring	No
Width (mm)	33
Grease lub.	5000
Bearing No.	6411

Weight / LBS	5.524
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6411
Precision Class	ABEC 1   ISO P0
Rolling Element	Ball Bearing
Outside Diameter	5.512 Inch   140 Millimeter
Long Description	55MM Bore; 140MM Outside Diameter; 33MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	1.299 Inch   33 Millimeter
(Refer.)Mass(kg)	2.29
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Weight / Kilogram	2.508
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	55
Outer Diameter (mm)	140
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	6000 r/min
Manufacturer Item Number	6411
Internal Special Features	No
(Grease) Lubrication Speed	5000 r/min

Basic static load rating (C0)	62,3 kN
Basic dynamic load rating (C)	100 kN
Maximum Capacity / Filling Slot	No