



Bearing No. 6804NR

f	0,85 mm
r	0.3
d	20 mm
D	32 mm
B	7 mm
C	7 mm
a	1,3 mm
b	0,95 mm
D2	34,8 mm
B_	7
Cy	1.8
ra	0.3
C0	2.47
fo	15.5
D_	32
D1	30,7 mm
rn	0,3 mm
Z_	13
Dx	35.5
ro	0.25
DE_	29.1
DA_	3.5
SRI	1.81
D_a	30
SRE	1.81
DI_	22.1
SRIN	-0.015
yobi	6804NR
SBRG	18
bomp	0

SREX	0.015
KBRG	6101
SREN	-0.015
SDM_	25.6
SRIX	0.015
mass	0.017
C_conv	4000
r min.	0,3 mm
da max	22 mm
ALPHA_	0
Weight	0,017 Kg
da min	22
LangID	1
GRS rpm	22000
Da max.	30 mm
hidYobi	6804NR
Oil rpm	26000
da min.	22 mm
r0 max.	0,25 mm
ra max.	0,3 mm
hidTable	ecat_NSRDGB
Size (mm)	20x32x7
Prod_Type3	DGBB_SR_NR_OT
Width (mm)	7
Bearing number	6804NR
Bore Diameter (mm)	20
Outer Diameter (mm)	32
(Oil) Lubrication Speed	26 000 r/min
(Grease) Lubrication Speed	22 000 r/min
Basic dynamic load rating (C)	4 kN
Basic static load rating	2,47 kN

(C0)	
------	--