



Bearing No. SL182212

E	99,17 mm
m	1,18 kg / Weight
s	1,5 mm / Axial displacement
d	60 mm
D	110 mm
B	28 mm
Bore	2.362 Inch 60 Millimeter
Noun	Bearing
Width	1.102 Inch 28 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Size (mm)	60x110x28
Inventory	0.0
Snap Ring	No
Separable	No
Width (mm)	28
Bore Profile	Straight
Weight / LBS	1
Cage Material	None
Inch - Metric	Metric
Product Group	B04144
C _r	169000 N / Dynamic load rating (radial)
D ₁	93,9 mm
d ₁	76,8 mm

n_G	3900 1/min / Limiting speed
Bearing number	SL182212
Other Features	Full Complement 2 Rib Inner Ring 1 Rib Outer Ring with Retaining Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C_{ur}	32500 N / Fatigue limit load, radial
C_{Or}	176000 N / Static load rating (radial)
r_{min}	1,5 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	60MM Bore; Straight Bore Profile; 110MM Outside Diameter; 28MM Width; RBEC 1 ISO P0; Single Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	4.331 Inch 110 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.454
Internal Clearance	C0-Medium
Bore Diameter (mm)	60
Outer Diameter (mm)	110
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL182212A

Number	
Number of Rows of Rollers	Single Row