



Bearing No. SL182217

E	133,75 mm
d	85 mm
D	150 mm
B	36 mm
s	1,5 mm / Axial displacement
m	2,74 kg / Weight
Bore	3.346 Inch 85 Millimeter
Noun	Bearing
Width	1.417 Inch 36 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Inventory	0.0
Separable	No
Size (mm)	85x150x36
Snap Ring	No
Width (mm)	36
Weight / LBS	6.041
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
n_G	2850 1/min / Limiting speed
d_1	104,4 mm
D_1	126,3 mm

C_r	255000 N / Dynamic load rating (radial)
Relubricatable	Yes
Other Features	Full Complement 2 Rib Inner Ring 1 Rib Outer Ring with Retaining Ring Operating Temperature From -30 to 120 Deg
Bearing number	SL182217
C_{ur}	46500 N / Fatigue limit load, radial
C_{Or}	320000 N / Static load rating (radial)
r_{min}	2 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	85MM Bore; Straight Bore Profile; 150MM Outside Diameter; 36MM Width; RBEC 1 ISO P0; Single Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	5.906 Inch 150 Millimeter
Weight / Kilogram	2.74
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C0-Medium
Bore Diameter (mm)	85
Outer Diameter (mm)	150
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL182217A

Number	
Number of Rows of Rollers	Single Row