




Bearing No. AXK100135

D	135 mm
d	100 mm
T	4 mm
Eb	105.0 mm
Cu	56.4
Ca	90.2
D1	-
Dw	4
Dc	135
Ea	133.0 mm
C0a	552
Dc1	100
Noun	Roller Assembly
D,d1	135
h(mm)	-
a(mm)	-
Height	0.157 Inch 4 Millimeter
Banded	No
Bore 1	3.937 Inch 100 Millimeter
UNSPSC	31171500
Bore 2	3.937 Inch 100 Millimeter
Weight	0.106 Kg
h1(mm)	1.00
ra max.	0.6 mm
rs(min)	-
ra(max)	0.6
Category	Thrust Roller Bearings
Oil lub.	3100
Inventory	0.0

Size (mm)	100x135x4
Width (mm)	4
Bearing No.	AXK100135
Weight / LBS	0.234
Self Aligning	No
Product Group	B04144
Cage Material	Steel
Inch - Metric	Metric
Bearing number	AXK100135
Other Features	Single Row One Piece Cage
Keyword String	Thrust Needle
Thrust Bearing	Yes
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1 ISO P0
(Refer.)Mass(kg)	-
Outside Diameter	5.315 Inch 135 Millimeter
Long Description	100MM Bore 1; 100MM Bore 2; 135MM Outside Diameter; 4MM Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Assembly Only
Manufacturer URL	http://www.koyousa.com
Manufacturer Name	KOYO
Weight / Kilogram	0.11
Bore Diameter (mm)	100
Washer designation	-
Outer Diameter (mm)	135
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only



Harmonized Tariff Code	8482.99.25.40
Manufacturer Item Number	AXK100135
Single or Double Direction	Single Direction
Basic static load rating (C0)	552 kN
Basic dynamic load rating (C)	90.2 kN
Washer designation Shaft piloted	-
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Washer designation Housing piloted	-