



**Bearing No. K81230-M**

	GS81230 / Allocated housing locating washer
m	2,81 kg / Weight
Noun	Roller Assembly
UNSPSC	31171500
Banded	No
Bore 1	5.906 Inch   150 Millimeter
Bore 2	5.906 Inch   150 Millimeter
Height	0.827 Inch   21 Millimeter
Category	Thrust Roller Bearings
Size (mm)	150x215x21
Inventory	0.0
Width (mm)	21
Weight / LBS	3.352
Self Aligning	No
Product Group	B04144
Inch - Metric	Metric
$D_c$	215 mm
$D_w$	21 mm
$n_B$	610 1/min / Reference speed
$n_G$	1580 1/min / Limiting speed
$C_a$	590000 N / Dynamic load rating (axial)
$E_b$	162 mm
$E_a$	210 mm
Cage Material	Machined Brass

Keyword String	Thrust Cylindrical
Other Features	Single Row   ISO Series 1 and 4
Bearing number	K81230-M
$C_{ua}$	188000 N / Fatigue limit load
Thrust Bearing	Yes
$D_{c1}$	150 mm
$C_{0a}$	1940000 N / Static load rating (axial)
Rolling Element	Cylindrical Roller Bearing
Precision Class	ABEC 1   ISO P0
Long Description	150MM Bore 1; 150MM Bore 2; 215MM Outside Diameter; 21MM Height; Cylindrical Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Machined Brass Cage; ABEC 1   ISO P0; Roller Assembly Only
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Outside Diameter	8.465 Inch   215 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	3.37
Bore Diameter (mm)	150
Outer Diameter (mm)	215
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Harmonized Tariff Code	8482.99.25.60
Manufacturer Item Number	K81230M
Single or Double Direction	Single Direction

Overall Height with Aligning Washer	0 Inch   0 Millimeter
--	-----------------------