



**Bearing No. K81206-TV**

	GS81206 / Allocated housing locating washer
m	0,033 kg / Weight
Noun	Roller Assembly
UNSPSC	31171500
Banded	No
Bore 2	1.181 Inch   30 Millimeter
Bore 1	1.181 Inch   30 Millimeter
Height	0.295 Inch   7.5 Millimeter
Category	Thrust Roller Bearings
Size (mm)	30x52x7.5
Inventory	0.0
Width (mm)	7,5
Weight / LBS	0.073
Self Aligning	No
Product Group	B04144
Inch - Metric	Metric
$D_c$	52 mm
$D_w$	7,5 mm
$n_B$	2650 1/min / Reference speed
$n_G$	7200 1/min / Limiting speed
$C_a$	64000 N / Dynamic load rating (axial)
$E_b$	31 mm
$E_a$	50 mm
Cage Material	Polyamide

Keyword String	Thrust Cylindrical
Other Features	Single Row   ISO Series 1 and 4
Bearing number	K81206-TV
$C_{ua}$	14100 N / Fatigue limit load
Thrust Bearing	Yes
$D_{c1}$	30 mm
$C_{0a}$	141000 N / Static load rating (axial)
Rolling Element	Cylindrical Roller Bearing
Precision Class	ABEC 1   ISO P0
Long Description	30MM Bore 1; 30MM Bore 2; 52MM Outside Diameter; 7.5MM Height; Cylindrical Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Polyamide Cage; ABEC 1   ISO P0; Roller Assembly Only
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Outside Diameter	2.047 Inch   52 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.03
Bore Diameter (mm)	30
Outer Diameter (mm)	52
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Harmonized Tariff Code	8482.99.25.60
Manufacturer Item Number	K81206TN
Single or Double Direction	Single Direction

Overall Height with Aligning Washer	0 Inch   0 Millimeter
--	-----------------------