



Bearing No. 1726203-2RS1

| | |
|-----------------|-------------------------------------|
| D | 40 mm |
| d | 17 mm |
| B | 12 mm |
| Bore | 0.669 Inch 17 Millimeter |
| Noun | Bearing |
| UNSPSC | 31171536 |
| series: | 17263 |
| Category | Insert Bearings |
| Size (mm) | 40x17x12 |
| Seal Type | RS1 Seal |
| Inventory | 0.0 |
| Snap Ring | No |
| bore type: | Round |
| Width (mm) | 12 |
| Weight / LBS | 0.123 |
| maximum rpm: | 12000 RPM |
| d ₁ | 24.5 mm |
| closure type: | Double Sealed |
| Product Group | M06110 |
| Inch - Metric | Metric |
| overall width: | 12 mm |
| Keyword String | Insert |
| Limiting speed | 12000 r/min |
| Other Features | Single Row Standard Duty Metric |
| Bearing number | 1726203-2RS1 |
| bore diameter: | 17 mm |
| Relubricatable | No |
| Rolling Element | Ball Bearing |
| finish/coating: | Uncoated |

| | |
|-------------------------------|---|
| Mounting Method | Shaft Mount |
| Long Description | 17MM Bore; Standard Inner Ring; Ball Bearing; 12MM Length Thru Bore; 12MM Outer Race Width; 40MM Outside Diameter; Not Relubricatable; RS1 Seal Seal; Shaft Mount Mounting Method; No Snap Ring |
| Manufacturer URL | http://www.skf.com |
| Outside Diameter | 1.575 Inch 40 Millimeter |
| Length Thru Bore | 0.472 Inch 12 Millimeter |
| Outer Race Width | 0.472 Inch 12 Millimeter |
| Weight / Kilogram | 0.06 |
| outside diameter: | 40 mm |
| Manufacturer Name | SKF |
| outer ring width: | 12 mm |
| Outer Race Profile | Spherical |
| Inner Race Profile | Standard Inner Ring |
| Bore Diameter (mm) | 40 |
| snap ring included: | Without Snap Ring |
| Outer Diameter (mm) | 17 |
| internal clearance: | C0 |
| Minimum Buy Quantity | N/A |
| Harmonized Tariff Code | 8482.10.50.00 |
| r _{1,2} - min. | 0.6 mm |
| Manufacturer Item Number | 1726203-2RS1 |
| operating temperature range: | -40 to +210 °F |
| Basic dynamic load rating - C | 9.6 kN |

| | |
|----------------------------------|--------|
| Calculation factor - f_0 | 13 |
| Fatigue load limit - P_u | 0.2 kN |
| Basic static load rating - C_0 | 4.8 kN |