



**Bearing No. 1313K**

D	140 mm
d	65 mm
B	33 mm
C	33 mm
Bore	2.559 Inch   65 Millimeter
Noun	Bearing
Weight	2.45 Kg
UNSPSC	31171532
Da max.	128 mm
r1 min.	2.1 mm
da min.	77 mm
ra max.	2 mm
Category	Self Aligning Ball Bearings
Inventory	0.0
Enclosure	Open
Size (mm)	65x140x33
Width (mm)	33
Weight / LBS	5.40132
Product Group	B00152
Inch - Metric	Metric
Cage Material	Steel
Other Features	Allowable Misalignment 3 Deg   1:12 Taper
Adapter Sleeve	H-313X
Bearing number	1313K
Keyword String	Self Aligning
Precision Class	ABEC 1   ISO P0
Mounting Method	Tapered Adapter
Rolling Element	Ball Bearing

Long Description	65MM Bore; Tapered Adapter Mount; 140MM Outside Diameter; 33MM Inner Race Width; 33MM Outer Race Width; Open; Steel Cage; Double Row of Balls; ABEC 1   ISO P0; C0-Medium
Outer Race Width	1.299 Inch   33 Millimeter
Outside Diameter	5.512 Inch   140 Millimeter
Manufacturer URL	<a href="http://www.nachi.com">http://www.nachi.com</a>
Inner Race Width	1.299 Inch   33 Millimeter
Weight / Kilogram	0
Manufacturer Name	NACHI
Internal Clearance	C0-Medium
Bore Diameter (mm)	65
Outer Diameter (mm)	140
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
Calculation factor (e)	0.23
Number of Rows of Balls	Double Row
Calculation factor (Y1)	2.8
Calculation factor (Y0)	2.9
(Oil) Lubrication Speed	5300 r/min
(Grease) Lubrication Speed	4300 r/min
Basic static load rating (C0)	22,8 kN
Basic dynamic load rating (C)	62 kN