



**Bearing No. SL024932**

	NNCL4932V / Designation to DIN 5412
s	4 mm / Axial displacement
C	30 mm
m	6,8 kg / Weight
E	206,16 mm
d	160 mm
D	220 mm
B	60 mm
Bore	6.299 Inch   160 Millimeter
Noun	Bearing
Width	2.362 Inch   60 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	160x220x60
Snap Ring	No
Inventory	0.0
Separable	Outer Ring - Both Sides
Width (mm)	60
Weight / LBS	17.952
Bore Profile	Straight
Inch - Metric	Metric
Cage Material	None
Product Group	B04144
C <sub>r</sub>	425000 N / Dynamic

	load rating (radial)
$n_G$	1660 1/min / Limiting speed
$d_1$	184,2 mm
Other Features	Full Complement   3 Rib Inner Ring   Plain Outer Ring   Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
$C_{Or}$	880000 N / Static load rating (radial)
Bearing number	SL024932
$C_{ur}$	110000 N / Fatigue limit load, radial
Rolling Element	Cylindrical Roller Bearing
$r_{min}$	2 mm
Precision Class	RBEC 1   ISO P0
Long Description	160MM Bore; Straight Bore Profile; 220MM Outside Diameter; 60MM Width; RBEC 1   ISO P0; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Re
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Outside Diameter	8.661 Inch   220 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	8.15
Internal Clearance	C0-Medium
Bore Diameter (mm)	160
Outer Diameter (mm)	220

Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL024932
Number of Rows of Rollers	Double Row