



Bearing No. SL024936

	NNCL4936V / Designation to DIN 5412
s	4 mm / Axial displacement
C	34,5 mm
m	10,5 kg / Weight
E	230,5 mm
d	180 mm
D	250 mm
B	69 mm
Bore	7.087 Inch 180 Millimeter
Noun	Bearing
Width	2.717 Inch 69 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	180x250x69
Snap Ring	No
Inventory	2.0
Separable	Outer Ring - Both Sides
Width (mm)	69
Weight / LBS	27.72
Bore Profile	Straight
Inch - Metric	Metric
Cage Material	None
Product Group	B04144
C _r	570000 N / Dynamic

	load rating (radial)
n_G	1480 1/min / Limiting speed
d_1	204,9 mm
Other Features	Full Complement 3 Rib Inner Ring Plain Outer Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C_{Or}	1200000 N / Static load rating (radial)
Bearing number	SL024936
C_{ur}	147000 N / Fatigue limit load, radial
Rolling Element	Cylindrical Roller Bearing
r_{min}	2 mm
Precision Class	RBEC 1 ISO P0
Long Description	180MM Bore; Straight Bore Profile; 250MM Outside Diameter; 69MM Width; RBEC 1 ISO P0; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Re
Manufacturer URL	http://www.ina.com
Outside Diameter	9.843 Inch 250 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	12.59
Internal Clearance	C0-Medium
Bore Diameter (mm)	180
Outer Diameter (mm)	250

Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL024936
Number of Rows of Rollers	Double Row