



**Bearing No. SL024952**

	NNCL4952V / Designation to DIN 5412
s	6 mm / Axial displacement
C	50 mm
m	31,2 kg / Weight
E	331,33 mm
d	260 mm
D	360 mm
B	100 mm
Bore	10.236 Inch   260 Millimeter
Noun	Bearing
Width	3.937 Inch   100 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	260x360x100
Snap Ring	No
Inventory	0.0
Separable	Outer Ring - Both Sides
Width (mm)	100
Weight / LBS	82.368
Bore Profile	Straight
Inch - Metric	Metric
Cage Material	None
Product Group	B04144
C <sub>r</sub>	1100000 N / Dynamic

	load rating (radial)
$n_G$	1010 1/min / Limiting speed
$d_1$	294,5 mm
Other Features	Full Complement   3 Rib Inner Ring   Plain Outer Ring   Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
$C_{Or}$	2470000 N / Static load rating (radial)
Bearing number	SL024952
$C_{ur}$	280000 N / Fatigue limit load, radial
Rolling Element	Cylindrical Roller Bearing
$r_{min}$	2,1 mm
Precision Class	RBEC 1   ISO P0
Long Description	260MM Bore; Straight Bore Profile; 360MM Outside Diameter; 100MM Width; RBEC 1   ISO P0; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No R
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Outside Diameter	14.173 Inch   360 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	37.4
Internal Clearance	C0-Medium
Bore Diameter (mm)	260
Outer Diameter (mm)	360

Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL024952
Number of Rows of Rollers	Double Row