



**Bearing No. W 6305-2RS1**

D	62 mm
d	25 mm
B	17 mm
Bore	0.984 Inch   25 Millimeter
Noun	Bearing
UNSPSC	31171504
Category	Single Row Ball Bearing
Snap Ring	No
Size (mm)	62x25x17
Enclosure	2 Seals
Inventory	0.0
Width (mm)	17
Weight / LBS	0.531
Mass bearing	0.23 kg
Product Group	B00308
d <sub>1</sub>	38.1 mm
D <sub>2</sub>	53.2 mm
Inch - Metric	Metric
Cage Material	Stainless Steel
Bearing number	W 6305-2RS1
Keyword String	Ball
Enclosure Type	Contact Seal
Other Features	Deep Groove   NBR Seal
Limiting speed	7500 r/min
Precision Class	ABEC 1   ISO P0
Rolling Element	Ball Bearing
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Long Description	25MM Bore; 62MM Outside Diameter;

	17MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Stainless St
Inner Race Width	0 Inch   0 Millimeter
Outside Diameter	2.441 Inch   62 Millimeter
Outer Race Width	0.669 Inch   17 Millimeter
Manufacturer Name	SKF
Weight / Kilogram	0.232
r <sub>a</sub> max.	1 mm
Internal Clearance	C0-Medium
D <sub>a</sub> max.	55.5 mm
d <sub>a</sub> max.	38 mm
d <sub>a</sub> min.	31.5 mm
Bore Diameter (mm)	62
Outer Diameter (mm)	25
r <sub>a</sub> - max.	1 mm
r <sub>1,2</sub> min.	1.1 mm
D <sub>a</sub> - max.	55.5 mm
d <sub>a</sub> - min.	31.5 mm
d <sub>a</sub> - max.	38 mm
Minimum Buy Quantity	N/A
d <sub>1</sub> ?	38.1 mm
D <sub>2</sub> ?	53.22 mm
r <sub>1,2</sub> - min.	1.1 mm
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item Number	W 6305-2RS1/R799
Internal Special Features	No

Basic dynamic load rating C	17.8 kN
Basic dynamic load rating - C	20.8 kN
Maximum Capacity / Filling Slot	No
Fatigue load limit $P_u$	0.48 kN
Calculation factor $k_r$	0.035
Calculation factor $f_0$	13.2
Fatigue load limit - $P_u$	0.48 kN
Calculation factor - $k_r$	0.035
Calculation factor - $f_0$	13.2
Basic static load rating $C_0$	11.2 kN
Basic static load rating - $C_0$	11.2 kN