



Bearing No. SL024856

	NNCL4856V / Designation to DIN 5412
s	4 mm / Axial displacement
E	332,4 mm
m	15,6 kg / Weight
d	280 mm
D	350 mm
B	69 mm
C	34,5 mm
Bore	11.024 Inch 280 Millimeter
Noun	Bearing
Width	2.717 Inch 69 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	280x350x69
Snap Ring	No
Inventory	0.0
Separable	Outer Ring - Both Sides
Width (mm)	69
Weight / LBS	41.184
Bore Profile	Straight
Inch - Metric	Metric
Cage Material	None
Product Group	B04144
C _r	700000 N / Dynamic

	load rating (radial)
n_G	980 1/min / Limiting speed
d_1	306,8 mm
Other Features	Full Complement 3 Rib Inner Ring Plain Outer Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C_{Or}	1820000 N / Static load rating (radial)
Bearing number	SL024856
C_{ur}	198000 N / Fatigue limit load, radial
Rolling Element	Cylindrical Roller Bearing
r_{min}	2 mm
Precision Class	RBEC 1 ISO P0
Long Description	280MM Bore; Straight Bore Profile; 350MM Outside Diameter; 69MM Width; RBEC 1 ISO P0; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Re
Manufacturer URL	http://www.ina.com
Outside Diameter	13.78 Inch 350 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	18.7
Internal Clearance	C0-Medium
Bore Diameter (mm)	280
Outer Diameter (mm)	350

Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL024856
Number of Rows of Rollers	Double Row