



**Bearing No. SL024922**

	NNCL4922V / Designation to DIN 5412
E	138,2 mm
m	2,1 kg / Weight
d	110 mm
D	150 mm
B	40 mm
C	20 mm
s	2 mm / Axial displacement
Bore	4.331 Inch   110 Millimeter
Noun	Bearing
Width	1.575 Inch   40 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	110x150x40
Inventory	0.0
Snap Ring	No
Separable	Outer Ring - Both Sides
Width (mm)	40
Weight / LBS	5.544
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
n <sub>G</sub>	2500 1/min / Limiting

	speed
d <sub>1</sub>	125 mm
C <sub>r</sub>	198000 N / Dynamic load rating (radial)
Relubricatable	Yes
Other Features	Full Complement   3 Rib Inner Ring   Plain Outer Ring   Operating Temperature From -30 to 120 Deg
Bearing number	SL024922
C <sub>ur</sub>	50000 N / Fatigue limit load, radial
C <sub>0r</sub>	400000 N / Static load rating (radial)
r <sub>min</sub>	1,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1   ISO P0
Long Description	110MM Bore; Straight Bore Profile; 150MM Outside Diameter; 40MM Width; RBEC 1   ISO P0; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Re
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Outside Diameter	5.906 Inch   150 Millimeter
Weight / Kilogram	2.515
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C0-Medium
Bore Diameter (mm)	110
Outer Diameter (mm)	150

Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL024922
Number of Rows of Rollers	Double Row