



Bearing No. SL024924

	NNCL4924V / Designation to DIN 5412
s	3 mm / Axial displacement
C	22,5 mm
m	2,85 kg / Weight
E	153,55 mm
d	120 mm
D	165 mm
B	45 mm
Bore	4.724 Inch 120 Millimeter
Noun	Bearing
Width	1.772 Inch 45 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	120x165x45
Snap Ring	No
Inventory	0.0
Separable	Outer Ring - Both Sides
Width (mm)	45
Weight / LBS	7.524
Bore Profile	Straight
Inch - Metric	Metric
Cage Material	None
Product Group	B04144
C _r	222000 N / Dynamic

	load rating (radial)
n_G	2260 1/min / Limiting speed
d_1	138,6 mm
Other Features	Full Complement 3 Rib Inner Ring Plain Outer Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C_{Or}	440000 N / Static load rating (radial)
Bearing number	SL024924
C_{ur}	55000 N / Fatigue limit load, radial
Rolling Element	Cylindrical Roller Bearing
r_{min}	1,1 mm
Precision Class	RBEC 1 ISO P0
Long Description	120MM Bore; Straight Bore Profile; 165MM Outside Diameter; 45MM Width; RBEC 1 ISO P0; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Re
Manufacturer URL	http://www.ina.com
Outside Diameter	6.496 Inch 165 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	3.416
Internal Clearance	C0-Medium
Bore Diameter (mm)	120
Outer Diameter (mm)	165

Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL024924
Number of Rows of Rollers	Double Row