



**Bearing No. SL024926**

	NNCL4926V / Designation to DIN 5412
E	165,4 mm
m	3,8 kg / Weight
d	130 mm
D	180 mm
B	50 mm
C	25 mm
s	4 mm / Axial displacement
Bore	5.118 Inch   130 Millimeter
Noun	Bearing
Width	1.969 Inch   50 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	130x180x50
Inventory	0.0
Snap Ring	No
Separable	Outer Ring - Both Sides
Width (mm)	50
Weight / LBS	10.032
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
$n_G$	2090 1/min / Limiting

	speed
d <sub>1</sub>	149,5 mm
C <sub>r</sub>	260000 N / Dynamic load rating (radial)
Relubricatable	Yes
Other Features	Full Complement   3 Rib Inner Ring   Plain Outer Ring   Operating Temperature From -30 to 120 Deg
Bearing number	SL024926
C <sub>ur</sub>	63000 N / Fatigue limit load, radial
C <sub>0r</sub>	510000 N / Static load rating (radial)
r <sub>min</sub>	1,5 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1   ISO P0
Long Description	130MM Bore; Straight Bore Profile; 180MM Outside Diameter; 50MM Width; RBEC 1   ISO P0; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Re
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Outside Diameter	7.087 Inch   180 Millimeter
Weight / Kilogram	4.555
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C0-Medium
Bore Diameter (mm)	130
Outer Diameter (mm)	180

Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL024926
Number of Rows of Rollers	Double Row