

Bearing No. SL02-4930

D	210 mm
d	150 mm
B	60 mm
C	60 mm
J	171,5 mm
M	189,5 mm
Da	201 mm
da	159 mm
?	4 Tolerance h14
Bore	5.906 Inch 150 Millimeter
Noun	Bearing
Width	2.362 Inch 60 Millimeter
Weight	6,45 Kg
UNSPSC	31171547
r min.	2 mm
Profile	Complete with Outer and Inner Ring
ra max.	2 mm
Category	Cylindrical Roller Bearing
Retainer	No
Separable	Outer Ring - Both Sides
Inventory	0.0
Snap Ring	No
Size (mm)	150x210x60
Width (mm)	60
Weight / LBS	13.835
Bore Profile	Straight
Inch - Metric	Metric

Product Group	B04144
Cage Material	None
Bearing number	SL02-4930
Other Features	Full Complement 3 Rib Inner Ring Plain Outer Ring
Relubricatable	Yes
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	150MM Bore; Straight Bore Profile; 210MM Outside Diameter; 60MM Width; RBEC 1 ISO P0; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Re
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	8.268 Inch 210 Millimeter
Manufacturer Name	NTN
Weight / Kilogram	6.28
Internal Clearance	C0-Medium
Bore Diameter (mm)	150
Outer Diameter (mm)	210
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL02-4930
Number of Rows of Rollers	Double Row
(Grease) Lubrication Speed	670 r/min

Basic static load rating (C0)	865 kN
Basic dynamic load rating (C)	410 kN