



**Bearing No. SL024830**

	NNCL4830V / Designation to DIN 5412
s	2 mm / Axial displacement
C	20 mm
m	2,8 kg / Weight
E	178,3 mm
d	150 mm
D	190 mm
B	40 mm
Bore	5.906 Inch   150 Millimeter
Noun	Bearing
Width	1.575 Inch   40 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	150x190x40
Snap Ring	No
Inventory	0.0
Separable	Outer Ring - Both Sides
Width (mm)	40
Weight / LBS	7.392
Bore Profile	Straight
Inch - Metric	Metric
Cage Material	None
Product Group	B04144
C <sub>r</sub>	231000 N / Dynamic

	load rating (radial)
$n_G$	1900 1/min / Limiting speed
$d_1$	165,1 mm
Other Features	Full Complement   3 Rib Inner Ring   Plain Outer Ring   Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
$C_{Or}$	530000 N / Static load rating (radial)
Bearing number	SL024830
$C_{ur}$	62000 N / Fatigue limit load, radial
Rolling Element	Cylindrical Roller Bearing
$r_{min}$	1,1 mm
Precision Class	RBEC 1   ISO P0
Long Description	150MM Bore; Straight Bore Profile; 190MM Outside Diameter; 40MM Width; RBEC 1   ISO P0; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Re
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Outside Diameter	7.48 Inch   190 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	3.36
Internal Clearance	C0-Medium
Bore Diameter (mm)	150
Outer Diameter (mm)	190

Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL024830
Number of Rows of Rollers	Double Row