



**Bearing No. SL024834**

	NNCL4834V / Designation to DIN 5412
s	3 mm / Axial displacement
E	201,3 mm
m	3,95 kg / Weight
d	170 mm
D	215 mm
B	45 mm
C	22,5 mm
Bore	6.693 Inch   170 Millimeter
Noun	Bearing
Width	1.772 Inch   45 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	170x215x45
Snap Ring	No
Inventory	0.0
Separable	Outer Ring - Both Sides
Width (mm)	45
Weight / LBS	10.428
Bore Profile	Straight
Inch - Metric	Metric
Cage Material	None
Product Group	B04144
C <sub>r</sub>	260000 N / Dynamic

	load rating (radial)
$n_G$	1670 1/min / Limiting speed
$d_1$	186,3 mm
Other Features	Full Complement   3 Rib Inner Ring   Plain Outer Ring   Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
$C_{Or}$	600000 N / Static load rating (radial)
Bearing number	SL024834
$C_{ur}$	68000 N / Fatigue limit load, radial
Rolling Element	Cylindrical Roller Bearing
$r_{min}$	1,1 mm
Precision Class	RBEC 1   ISO P0
Long Description	170MM Bore; Straight Bore Profile; 215MM Outside Diameter; 45MM Width; RBEC 1   ISO P0; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Re
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Outside Diameter	8.465 Inch   215 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	4.73
Internal Clearance	C0-Medium
Bore Diameter (mm)	170
Outer Diameter (mm)	215

Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL024834
Number of Rows of Rollers	Double Row