



Bearing No. SL024840

	NNCL4840V / Designation to DIN 5412
E	235,5 mm
m	5,7 kg / Weight
d	200 mm
D	250 mm
B	50 mm
C	25 mm
s	4 mm / Axial displacement
Bore	7.874 Inch 200 Millimeter
Noun	Bearing
Width	1.969 Inch 50 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	200x250x50
Inventory	0.0
Snap Ring	No
Separable	Outer Ring - Both Sides
Width (mm)	50
Weight / LBS	15.048
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
n_G	1410 1/min / Limiting

	speed
d ₁	218,1 mm
C _r	320000 N / Dynamic load rating (radial)
Relubricatable	Yes
Other Features	Full Complement 3 Rib Inner Ring Plain Outer Ring Operating Temperature From -30 to 120 Deg
Bearing number	SL024840
C _{ur}	84000 N / Fatigue limit load, radial
C _{0r}	770000 N / Static load rating (radial)
r _{min}	1,5 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	200MM Bore; Straight Bore Profile; 250MM Outside Diameter; 50MM Width; RBEC 1 ISO P0; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Re
Manufacturer URL	http://www.ina.com
Outside Diameter	9.843 Inch 250 Millimeter
Weight / Kilogram	6.826
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C0-Medium
Bore Diameter (mm)	200
Outer Diameter (mm)	250

Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL024840
Number of Rows of Rollers	Double Row