




Bearing No. SL014852

	NNC4852V / Designation to DIN 5412
D	320 mm
d	260 mm
B	60 mm
C	30 mm
m	11 kg / Weight
Bore	10.236 Inch 260 Millimeter
Noun	Bearing
Width	2.362 Inch 60 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Inventory	0.0
Separable	No
Size (mm)	260x320x60
Snap Ring	No
Width (mm)	60
Weight / LBS	29.04
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
n_G	1080 1/min / Limiting speed
d_1	281,8 mm
D_1	298,8 mm

C_r	540000 N / Dynamic load rating (radial)
Relubricatable	Yes
Other Features	Full Complement 3 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Bearing number	SL014852
C_{ur}	152000 N / Fatigue limit load, radial
C_{Or}	1370000 N / Static load rating (radial)
r_{min}	2 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	260MM Bore; Straight Bore Profile; 320MM Outside Diameter; 60MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	12.598 Inch 320 Millimeter
Weight / Kilogram	13.18
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C0-Medium
Bore Diameter (mm)	260
Outer Diameter (mm)	320
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL014852



Number	
Number of Rows of Rollers	Double Row