



Bearing No. LCJT30-N

| | |
|----------------|---|
| d | 30 mm |
| V | 80 mm |
| U | 50,2 mm |
| A | 29 mm |
| H | 142 mm |
| J | 116,5 mm |
| L | 80 mm |
| N | 11,5 mm |
| A2 | 20 mm |
| d3 | 44 mm |
| A1 | 12 mm |
| B1 | 48,5 mm |
| Bore | 1.181 Inch 30 Millimeter |
| Noun | Bearing |
| Seals | Double Labyrinth |
| Weight | 0,9 Kg |
| UNSPSC | 31171501 |
| Category | Flange Block |
| Inventory | 0.0 |
| Thread (Q) | Rp1/8 |
| Bolt Spacing | 4.587 Inch 116.5 Millimeter |
| Weight / LBS | 2.205 |
| Product Group | M06110 |
| Inch - Metric | Metric |
| Housing Style | 2 Bolt Flange Block |
| Relubricatable | Yes |
| Keyword String | Flanged |
| Other Features | Single Row Radial Metric With Set Screw |

| | |
|------------------------------------|---|
| Bearing number | LCJT30-N |
| Mounting Bolts | 11.5 Millimeter |
| Rolling Element | Ball Bearing |
| Mounting Method | Eccentric Collar |
| Housing Material | Cast Iron |
| Long Description | 2 Bolt Flange Block; 30MM Bore; 117MM Bolt Circle; 116.5MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 48.4MM Length Thru Bore; Relubricatable; Double Labyrinth Seal |
| Length Thru Bore | 1.906 Inch 48.4 Millimeter |
| Manufacturer URL | http://www.ina.com |
| Manufacturer Name | SCHAEFFLER GROUP |
| Weight / Kilogram | 1.054 |
| Insert Part Number | GE30-KLLHB |
| Bore Diameter (mm) | 30 |
| Pilot Configuration | No Pilot |
| Minimum Buy Quantity | N/A |
| Housing Configuration | 1 Piece Solid |
| Harmonized Tariff Code | 8483.20.40.40 |
| Manufacturer Item Number | LCJT30 |
| Number of Mounting Holes | 2 |
| Cartridge Pilot Diameter | 0 Inch 0 Millimeter |
| Expansion / Non-expansion | Non-expansion |
| Basic dynamic load rating (C) | 19,5 kN |
| Nominal Bolt Circle Diameter Round | 4.6 Inch 117 Millimeter |

