



Bearing No. 81226-TV

	GS81226 / Allocated housing locating washer
m	3,98 kg / Weight
d	130 mm
D	190 mm
T	45 mm
Noun	Bearing
Bore 2	5.236 Inch 133 Millimeter
Height	1.772 Inch 45 Millimeter
Bore 1	5.118 Inch 130 Millimeter
UNSPSC	31171507
Banded	No
Category	Thrust Roller Bearings
Inventory	0.0
Size (mm)	130x190x45
Keyword 3	Cylindrical
Width (mm)	45
Weight / LBS	9.27
Inch - Metric	Metric
Self Aligning	No
Product Group	B04144
Cage Material	Polyamide
n_B	710 1/min / Reference speed
n_G	1820 1/min / Limiting speed
C_a	480000 N / Dynamic load rating (axial)
d_1	187 mm

D ₁	133 mm
Other Features	Single Row Axial Cylindrical Roller High Axial Load
Keyword String	Thrust Roller Cylindrical
Bearing number	81226-TV
C _{0a}	1520000 N / Static load rating (axial)
Thrust Bearing	Yes
C _{ua}	151000 N / Fatigue limit load
r _{min}	1,5 mm
Precision Class	ABEC 1 ISO P0
Rolling Element	Cylindrical Roller Bearing
Outside Diameter	7.48 Inch 190 Millimeter
Long Description	130MM Bore 1; 133MM Bore 2; 190MM Outside Diameter; 45MM Height; Cylindrical Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Polyamide Cage; ABEC 1 ISO P0; Roller Assembly plus Race
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	4.77
Bore Diameter (mm)	130
Outer Diameter (mm)	190
Minimum Buy Quantity	N/A
Component Description	Roller Assembly plus Raceways
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	81226TN

Number	
Single or Double Direction	Single Direction
Overall Height with Aligning Washer	0 Inch 0 Millimeter
- K81226-TV / Allocated axial cylindrical roller and cage assembly	K81226TV / Allocated axial cylindrical roller and cage assembly