



Bearing No. BK1312

	IR10X13X12,5 / Suitable inner ring
m	11 g / Weight
D	19 mm
Bore	0.512 Inch 13 Millimeter
Noun	Bearing
Width	0.472 Inch 12 Millimeter
UNSPSC	31171512
Category	Needle Non Thrust Roller Bearing
Retainer	Yes
Inventory	0.0
Enclosure	Open
Component	Roller Assembly with Outer Ring - No Inner Ring
Separable	No
Size (mm)	13x19x12
Closed End	Yes
Width (mm)	12
Weight / LBS	0.022
Self Aligning	No
Product Group	B04144
n _G	18700 1/min / Limiting speed
Inch - Metric	Metric
F _w	13 mm
n _B	12900 1/min / Reference speed
C _r	6800 N / Dynamic load rating (radial)

Relubricatable	No
Thrust Bearing	No
Other Features	1 Rib Outer Ring Drawn Cup Bearing Steel Cage
Keyword String	Needle
Bearing number	BK1312
C_{Or}	7900 N / Static load rating (radial)
C_{ur}	940 N / Fatigue limit load, radial
Rolling Element	Needle Roller Bearing
r_{min}	0,8 mm
Long Description	13MM Bore; 19MM Outside Diameter; 12MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; C
Manufacturer URL	http://www.ina.com
Outside Diameter	0.748 Inch 19 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.01
$C_{t\ min}$	9,3 mm
Bore Diameter (mm)	13
Outer Diameter (mm)	19
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	BK1312
Number of Rows of Rollers	Single Row

C - 12 mm / Tolerance: -0,3	12 mm / Tolerance: 0,3
--------------------------------	------------------------