



Bearing No. RAK1-1/2

L	181,509 mm
d	38,1 mm
A	50,013 mm
B	56,49 mm
H	49,2 mm
J	135,992 mm
N	15,012 mm
N1	10,999 mm
S1	35,103 mm
d3	57,989 mm
A1	32,995 mm
H1	19,99 mm
H2	100 mm
Noun	Bearing
Bore	1.5 Inch 38.1 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	4.631
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Low Base With Set Screw
Bearing number	RAK1-1/2
Rolling Element	Ball Bearing

Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 1-1/2" Bore; 1-15/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 4-59/64" Minimum Bolt Spacing; 5.787" Bolt Spacing Maximum; Relubricatable;
Length Thru Bore	2.217 Inch 56.3 Millimeter
Manufacturer URL	http://www.ina.com
Weight / Kilogram	2.383
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	38,1
Insert Part Number	G1108KRRB
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	4.921 Inch 125Millimeter
Bolt Spacing Maximum	5.787 Inch 147Millimeter
Base to Center Height	1.938 Inch 49.225 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RAK1-1/2
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to Center	5.4 Inch 136 Millimeter

