



**Bearing No. RAK1-1/4**

L	172,009 mm
d	31.75 mm
A	46,508 mm
B	51,308 mm
H	46 mm
J	129,998 mm
N	15,012 mm
N1	7,9 mm
S1	32,512 mm
d3	51,004 mm
A1	29,007 mm
H1	17,399 mm
H2	92,101 mm
Noun	Bearing
Bore	1.25 Inch   31.75 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	3.749
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Low Base   With Set Screw
Bearing number	RAK1-1/4

Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Length Thru Bore	2.012 Inch   51.1 Millimeter
Long Description	2 Bolt Pillow Block; 1-1/4" Bore; 1-13/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 4.807" Minimum Bolt Spacing; 5.429" Bolt Spacing Maximum; Relubricatable; Ca
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Weight / Kilogram	1.916
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	31.75
Insert Part Number	G1104KRRB
Minimum Buy Quantity	N/A
Bolt Spacing Maximum	5.429 Inch   137.9Millimeter
Bolt Spacing Minimum	4.807 Inch   122.1Millimeter
Housing Configuration	1 Piece Solid
Base to Center Height	1.813 Inch   46.05 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RAK1-1/4
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0Millimeter
Nominal Bolt Center to	5 Inch   127 Millimeter

Center	
--------	--