



Bearing No. RAK1-15/16

L	202,489 mm
d	49,213 mm
A	56,998 mm
B	62,789 mm
H	55,601 mm
J	157,506 mm
N	18,009 mm
N1	5,995 mm
S1	38,202 mm
d3	37,491 mm
A1	35,002 mm
H1	20,397 mm
H2	115,393 mm
Noun	Bearing
Bore	1.938 Inch 49.225 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	7.056
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Low Base With Set Screw
Bearing number	RAK1-15/16

Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 1-15/16" Bore; 2-3/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 5.965" Minimum Bolt Spacing; 6-7/16" Bolt Spacing Maximum; Relubricatable;
Length Thru Bore	2.469 Inch 62.7 Millimeter
Manufacturer URL	http://www.ina.com
Weight / Kilogram	1.341
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	49,213
Insert Part Number	G1115KRRB
Minimum Buy Quantity	N/A
Bolt Spacing Maximum	6.437 Inch 163.5Millimeter
Bolt Spacing Minimum	5.965 Inch 151.5Millimeter
Base to Center Height	2.188 Inch 55.575 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RAK1-15/16
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to	6.3 Inch 160 Millimeter

Center	
--------	--