



Bearing No. RAK1-3/4

L	194,996 mm
d	44,45 mm
A	51,512 mm
B	56,49 mm
H	52,401 mm
J	148,489 mm
N	14,301 mm
N1	11,989 mm
S1	35,103 mm
d3	62,992 mm
A1	35,002 mm
H1	20,397 mm
H2	105,41 mm
Noun	Bearing
Bore	1.75 Inch 44.45 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	5.292
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Low Base With Set Screw
Bearing number	RAK1-3/4

Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Length Thru Bore	2.217 Inch 56.3 Millimeter
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Long Description	2 Bolt Pillow Block; 1-3/4" Bore; 2-1/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 5-3/8" Minimum Bolt Spacing; 6.319" Bolt Spacing Maximum; Relubricatable; Cas
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	2.4
Bore Diameter (mm)	44,45
Insert Part Number	G1112KRRB
Minimum Buy Quantity	N/A
Bolt Spacing Maximum	6.319 Inch 160.5Millimeter
Bolt Spacing Minimum	5.374 Inch 136.5Millimeter
Housing Configuration	1 Piece Solid
Base to Center Height	2.063 Inch 52.4 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RAK1-3/4
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to	5.8 Inch 146.5

Center	Millimeter
--------	------------