



Bearing No. RAK1-7/16

L	172,009 mm
d	36,513 mm
A	46,508 mm
B	51,308 mm
H	46 mm
J	129,998 mm
N	15,012 mm
N1	7,9 mm
S1	32,512 mm
d3	51,004 mm
A1	29,007 mm
H1	17,399 mm
H2	92,101 mm
Noun	Bearing
Bore	1.438 Inch 36.525 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	3.749
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Low Base With Set Screw
Bearing number	RAK1-7/16

Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Manufacturer URL	http://www.ina.com
Housing Material	Cast Iron
Length Thru Bore	2.012 Inch 51.1 Millimeter
Long Description	2 Bolt Pillow Block; 1-7/16" Bore; 1-13/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 4.807" Minimum Bolt Spacing; 5.429" Bolt Spacing Maximum; Relubricatable; C
Weight / Kilogram	1.916
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	36,513
Insert Part Number	G1107KRRB
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	4.807 Inch 122.1Millimeter
Bolt Spacing Maximum	5.429 Inch 137.9Millimeter
Base to Center Height	1.813 Inch 46.05 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RAK1-7/16
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to	5 Inch 127 Millimeter

Center	
--------	--