



Bearing No. RAK2-7/16

L	245,009 mm
d	61,913 mm
A	64,999 mm
B	77,902 mm
H	68,301 mm
J	189,256 mm
N	18,009 mm
N1	12,243 mm
S1	46,889 mm
d3	83,998 mm
A1	46,99 mm
H1	26,391 mm
H2	138,405 mm
Noun	Bearing
Bore	2.438 Inch 61.925 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	12.348
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Low Base With Set Screw
Bearing number	RAK2-7/16

Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 2-7/16" Bore; 2-11/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 6-31/32" Minimum Bolt Spacing; 7.933" Bolt Spacing Maximum; Relubricatable;
Length Thru Bore	3.063 Inch 77.8 Millimeter
Manufacturer URL	http://www.ina.com
Weight / Kilogram	5.61
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	61,913
Insert Part Number	G1207KRRB
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	6.969 Inch 177Millimeter
Bolt Spacing Maximum	7.933 Inch 201.5Millimeter
Housing Configuration	1 Piece Solid
Base to Center Height	2.688 Inch 68.275 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RAK2-7/16
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to	7.5 Inch 190 Millimeter

Center	
--------	--