



Bearing No. RAK7/8

L	139,7 mm
d	22,225 mm
A	37,008 mm
B	44,501 mm
H	33,351 mm
J	103,759 mm
N	11,989 mm
N1	9,246 mm
S1	27,001 mm
d3	37,491 mm
A1	21,997 mm
H1	14,301 mm
H2	68,276 mm
Noun	Bearing
Bore	0.875 Inch 22.225 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	1.985
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Low Base With Set Screw
Bearing number	RAK7/8

Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 7/8" Bore; 1-5/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 3.721" Minimum Bolt Spacing; 4.449" Bolt Spacing Maximum; Relubricatable; Cast
Manufacturer URL	http://www.ina.com
Length Thru Bore	1.748 Inch 44.4 Millimeter
Weight / Kilogram	0.9
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	22,225
Insert Part Number	G1014KRRB
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	3.721 Inch 94.513 Millimeter
Bolt Spacing Maximum	4.449 Inch 113 Millimeter
Base to Center Height	1.313 Inch 33.35 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RAK7/8
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0 Millimeter
Nominal Bolt Center to	4.1 Inch 105 Millimeter

Center	
--------	--