




Bearing No. NKIA5901

D	24 mm
d	12 mm
B	16 mm
F	16 mm
m	40 g / Weight
Noun	Bearing
Bore 2	0.472 Inch 12 Millimeter
Banded	No
Bore 1	0.472 Inch 12 Millimeter
Height	0.63 Inch 16 Millimeter
UNSPSC	31171537
Category	Thrust Roller Bearings
Inventory	0.0
Size (mm)	12x24x16
Width (mm)	16
Weight / LBS	0.088
Cage Material	Steel
Inch - Metric	Metric
Product Group	B04144
n_G	23600 1/min / Limiting speed
C_a	2700 N / Dynamic load rating (axial)
Self Aligning	No
C_r	8600 N / Dynamic load rating (radial)
Keyword String	Combination
Thrust Bearing	Yes
Bearing number	NKIA5901
C_{ur}	1630 N / Fatigue limit

	load, radial
C _{ua}	152 N / Fatigue limit load, axial
C _{0r}	8300 N / Static load rating (radial)
C _{0a}	3450 N / Static load rating (axial)
r _{min}	0,3 mm
Precision Class	ABEC 1 ISO P0
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Manufacturer URL	http://www.ina.com
Outside Diameter	0.945 Inch 24 Millimeter
Long Description	12MM Bore 1; 12MM Bore 2; 24MM Outside Diameter; 16MM Height; Combination - Needle Roller and Thrust Ball Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.04
Bore Diameter (mm)	12
Outer Diameter (mm)	24
Minimum Buy Quantity	N/A
Component Description	Roller Assembly plus Raceways
Harmonized Tariff Code	8482.80.00.40
Manufacturer Item Number	NKIA5901
Single or Double Direction	Single Direction

Overall Height with Aligning Washer	0 Inch 0 Millimeter
--	-----------------------