




Bearing No. NKIA5902

D	28 mm
d	15 mm
B	18 mm
F	20 mm
m	50 g / Weight
Noun	Bearing
Height	0.709 Inch 18 Millimeter
Banded	No
Bore 1	0.591 Inch 15 Millimeter
Bore 2	0.591 Inch 15 Millimeter
UNSPSC	31171537
Category	Thrust Roller Bearings
Inventory	0.0
Size (mm)	15x28x18
Width (mm)	18
Weight / LBS	0.11
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00234
n_G	21600 1/min / Limiting speed
C_a	2900 N / Dynamic load rating (axial)
Self Aligning	No
C_r	12000 N / Dynamic load rating (radial)
Keyword String	Combination
Thrust Bearing	Yes
Bearing number	NKIA5902

C_{ur}	2430 N / Fatigue limit load, radial
C_{ua}	186 N / Fatigue limit load, axial
C_{0r}	13600 N / Static load rating (radial)
C_{0a}	4200 N / Static load rating (axial)
r_{min}	0,3 mm
Precision Class	ABEC 1 ISO P0
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Manufacturer URL	http://www.ina.com
Outside Diameter	1.102 Inch 28 Millimeter
Long Description	15MM Bore 1; 15MM Bore 2; 28MM Outside Diameter; 18MM Height; Combination - Needle Roller and Thrust Ball Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.05
Bore Diameter (mm)	15
Outer Diameter (mm)	28
Minimum Buy Quantity	N/A
Component Description	Roller Assembly plus Raceways
Harmonized Tariff Code	8482.80.00.40
Manufacturer Item Number	NKIA5902
Single or Double Direction	Single Direction

Overall Height with Aligning Washer	0 Inch 0 Millimeter
--	-----------------------