




Bearing No. NKIA5904

D	37 mm
d	20 mm
B	23 mm
F	25 mm
m	103 g / Weight
Noun	Bearing
Bore 1	0.787 Inch 20 Millimeter
Banded	No
Bore 2	0.787 Inch 20 Millimeter
Height	0.906 Inch 23 Millimeter
UNSPSC	31171537
Category	Thrust Roller Bearings
Inventory	0.0
Size (mm)	20x37x23
Width (mm)	23
Weight / LBS	0.227
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00234
n_G	17200 1/min / Limiting speed
C_a	4900 N / Dynamic load rating (axial)
Self Aligning	No
C_r	23700 N / Dynamic load rating (radial)
Keyword String	Combination
Thrust Bearing	Yes
Bearing number	NKIA5904

C_{ua}	330 N / Fatigue limit load, axial
C_{ur}	4600 N / Fatigue limit load, radial
C_{0a}	7400 N / Static load rating (axial)
C_{0r}	25500 N / Static load rating (radial)
r_{min}	0,3 mm
Precision Class	ABEC 1 ISO P0
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Long Description	20MM Bore 1; 20MM Bore 2; 37MM Outside Diameter; 23MM Height; Combination - Needle Roller and Thrust Ball Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller
Manufacturer URL	http://www.ina.com
Outside Diameter	1.457 Inch 37 Millimeter
Weight / Kilogram	0.1
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	20
Outer Diameter (mm)	37
Minimum Buy Quantity	N/A
Component Description	Roller Assembly plus Raceways
Harmonized Tariff Code	8482.80.00.40
Manufacturer Item Number	NKIA5904
Single or Double Direction	Single Direction



Overall Height with Aligning Washer	0 Inch 0 Millimeter
--	-----------------------