



Bearing No. 52204

d	20 mm
D	40 mm
T	26 mm
a	6 mm
d3	40 mm
D1	22 mm
d2	15 mm
T1	16 mm
D3	42 mm
D2	30 mm
Noun	Bearing
Banded	No
UNSPSC	31171552
Weight	0.150 Kg
Height	1.024 Inch 26 Millimeter
r min.	0.6 mm
Bore 1	0.591 Inch 15 Millimeter
Bore 2	0.866 Inch 22 Millimeter
r1 min.	0.3 mm
da min.	20 mm
Da max.	28 mm
ra max.	0.6 mm
Category	Thrust Ball Bearings
ra1 max.	0.3 mm
Size (mm)	20x40x26
Inventory	0.0
Width (mm)	26
Weight / LBS	0.33069

Inch - Metric	Metric
Product Group	B00234
Cage Material	Steel
Bearing number	52204
Thrust Bearing	Yes
Keyword String	Ball Thrust
Other Features	Double Row With Flat Seat
Rolling Element	Ball Bearing
Precision Class	Non-Precision
Outside Diameter	1.575 Inch 40 Millimeter
Manufacturer URL	http://www.nachi.com
Long Description	15MM Bore 1; 22MM Bore 2; 40MM Outside Diameter; 26MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Weight / Kilogram	0
Manufacturer Name	NACHI
Bore Diameter (mm)	20
Outer Diameter (mm)	40
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	4200 r/min
Basic dynamic load rating (C)	22,2 kN
Basic static load rating (C0)	37,5 kN

Overall Height with Aligning Washer	0 Inch 0 Millimeter
--	-----------------------