



Bearing No. 52204

T	26 mm
B	6 mm
d	20 mm
D	40 mm
D1	22 mm
d3	40 mm
T2	16 mm
d2	15 mm
Noun	Bearing
Banded	No
Bore 1	0.591 Inch 15 Millimeter
Height	1.024 Inch 26 Millimeter
Weight	0,148 Kg
Bore 2	0.866 Inch 22 Millimeter
UNSPSC	31171552
r min.	0,6 mm
Da max.	30 mm
ra max.	0,6 mm
rb max.	0,3 mm
r1 min.	0,3 mm
Category	Thrust Ball Bearings
Inventory	0.0
Size (mm)	20x40x26
Width (mm)	26
Weight / LBS	0.32628
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308

Other Features	Double Row With Flat Seat
Bearing number	52204
Thrust Bearing	Yes
Keyword String	Ball Thrust
Rolling Element	Ball Bearing
Precision Class	Non-Precision
Long Description	15MM Bore 1; 22MM Bore 2; 40MM Outside Diameter; 26MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Manufacturer URL	http://www.nskamericas.com
Outside Diameter	1.575 Inch 40 Millimeter
Weight / Kilogram	0.15
Manufacturer Name	NSK
Bore Diameter (mm)	20
Outer Diameter (mm)	40
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Manufacturer Item Number	52204
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	4000 r/min
Basic static load rating (C0)	37,5 kN
Basic dynamic load rating (C)	22,5 kN
Overall Height with	0 Inch 0 Millimeter

Aligning Washer	
-----------------	--