



**Bearing No. RAKY1-11/16**

N	14,301 mm
d	42,863 mm
A	51,512 mm
B	49,2 mm
H	52,401 mm
J	148,489 mm
L	194,996 mm
N1	11,989 mm
S1	30,201 mm
A1	35,002 mm
H1	20,397 mm
H2	105,41 mm
Noun	Bearing
Bore	1.688 Inch   42.875 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	5.292
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Inch
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Low Base   With Set Screw
Bearing number	RAKY1-11/16
Rolling Element	Ball Bearing

Mounting Method	Eccentric Collar
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Housing Material	Cast Iron
Length Thru Bore	1.937 Inch   49.2 Millimeter
Long Description	2 Bolt Pillow Block; 1-11/16" Bore; 2-1/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 5-3/8" Minimum Bolt Spacing; 6.319" Bolt Spacing Maximum; Relubricatable; C
Weight / Kilogram	2.551
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GY1111KRRB
Bore Diameter (mm)	42,863
Minimum Buy Quantity	N/A
Bolt Spacing Maximum	6.319 Inch   160.5Millimeter
Bolt Spacing Minimum	5.374 Inch   136.5Millimeter
Base to Center Height	2.063 Inch   52.4 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RAKY1-11/16
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0Millimeter
Nominal Bolt Center to Center	5.8 Inch   146.5 Millimeter

