



**Bearing No. RAKY1-15/16**

N	18,009 mm
d	49,213 mm
A	56,998 mm
B	51,588 mm
H	55,601 mm
J	157,506 mm
L	202,489 mm
N1	5,995 mm
S1	32,589 mm
A1	35,002 mm
H1	20,397 mm
H2	115,393 mm
Noun	Bearing
Bore	1.938 Inch   49.225 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	7.056
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Inch
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row   Low Base   With Set Screw
Bearing number	RAKY1-15/16
Rolling Element	Ball Bearing

Mounting Method	Eccentric Collar
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Length Thru Bore	2.032 Inch   51.613 Millimeter
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 1-15/16" Bore; 2-3/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 5.965" Minimum Bolt Spacing; 6-7/16" Bolt Spacing Maximum; Relubricatable;
Weight / Kilogram	2.994
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GY1115KRRB
Bore Diameter (mm)	49,213
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	5.965 Inch   151.5Millimeter
Bolt Spacing Maximum	6.437 Inch   163.5Millimeter
Housing Configuration	1 Piece Solid
Base to Center Height	2.188 Inch   55.575 Millimeter
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RAKY1-15/16
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch   0Millimeter
Nominal Bolt Center to Center	6.3 Inch   160 Millimeter

