



Bearing No. RAKY1-3/8

N	15,012 mm
d	34,925 mm
A	46,508 mm
B	42,901 mm
H	46 mm
J	129,998 mm
L	172,009 mm
N1	7,9 mm
S1	25,4 mm
A1	29,007 mm
H1	17,399 mm
H2	92,101 mm
Noun	Bearing
Bore	1.375 Inch 34.925 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	3.749
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Inch
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Low Base With Set Screw
Bearing number	RAKY1-3/8
Rolling Element	Ball Bearing

Mounting Method	Eccentric Collar
Manufacturer URL	http://www.ina.com
Housing Material	Cast Iron
Length Thru Bore	1.689 Inch 42.9 Millimeter
Long Description	2 Bolt Pillow Block; 1-3/8" Bore; 1-13/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 4.807" Minimum Bolt Spacing; 5.429" Bolt Spacing Maximum; Relubricatable; Ca
Weight / Kilogram	1.7
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GY1106KRRB
Bore Diameter (mm)	34,925
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	4.807 Inch 122.1Millimeter
Bolt Spacing Maximum	5.429 Inch 137.9Millimeter
Base to Center Height	1.813 Inch 46.05 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	2
Manufacturer Item Number	RAKY1-3/8
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to Center	5 Inch 127 Millimeter

